

DELL Precision 3591 Intel Core Ultra 7 155H Mobiilne tööjaam 39,6 cm (15.6") Full HD 32 GB DDR5-SDRAM 1 TB SSD NVIDIA RTX 1000 Ada Wi-Fi 6E (802.11ax) Windows 11 Pro Hall

Brand : DELL Product family: Precision Product code:
N104P3591EMEA VP

Product name: 3591

DELL Precision 3591. Toote tüüp: Mobiilne tööjaam, Toote kuju: Kokkukäiv. Protsessori perekond: Intel Core Ultra 7, Protsessori mudel: 155H. Ekraani diagonaal: 39,6 cm (15.6"), HD tüüp: Full HD, Ekraani resolutsioon: 1920 x 1080 pikslit. Sisemälu: 32 GB, Sisemälu tüüp: DDR5-SDRAM. Salvestusmaht kokku: 1 TB, Salvestusseade: SSD. Pardagraafika adapteri mudel: Intel Arc Graphics, Eraldiseisva graafika adapteri mudel: NVIDIA RTX 1000 Ada. Installitud operatsioonisüsteem: Windows 11 Pro. Toote värv: Hall





Design		Camera	
Product type * Product colour * Form factor * Market positioning	Mobile workstation Grey Clamshell Business	Front camera HD type Video capturing speed Privacy camera Privacy type	Full HD 30 fps ✓ Privacy shutter
Display		Network	
Display diagonal * Display resolution * Touchscreen *	resolution * 1920 x 1080 pixels creen * X	Top Wi-Fi standard * Wi-Fi standards	Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)
HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel density RGB colour space Colour gamut Maximum refresh rate	Full HD IPS ✓ 16:9 ✓ 400 cd/m² 141 ppi sRGB 100% 60 Hz	Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN Ethernet LAN data rates Bluetooth Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	x 2x2 Intel Wi-Fi 6E AX211 Intel 10,100,1000 Mbit/s
Processor Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads Processor boost frequency Performance cores	Intel Intel Core Ultra 7 Intel® Core™ Ultra (Series 1) 155H 16 22 4.8 GHz 6	Ethernet LAN (RJ-45) ports HDMI ports quantity * HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode PowerShare	1 1 2.1 2 ✓

Processor		Ports & interfaces	
Efficient cores	8	Number of USB ports with	1
Low Power Efficient-cores	2	PowerShare support	
Performance-core Max Turbo Frequency	4.8 GHz	Keyboard	
Efficient-core Max Turbo Frequency	3.8 GHz	Pointing device	Touchpad
Low Power Efficient-core Max Turbo	2.5 GHz	Numeric keypad *	✓
Frequency		Keyboard backlit	✓
Performance-core base frequency	1.4 GHz	Software	
Efficient-core base frequency Low Power Efficient-core Base	0.9 GHz	Operating system architecture	64-bit
Frequency	700 MHz	Trial software	Microsoft Office Trial, McAfee
Processor cache	24 MB	Operating system installed *	Business Protection 1-year Windows 11 Pro
Processor cache type	Smart Cache		Willdows 11 FIO
Processor base power	28 W	Battery	
Maximum turbo power	115 W	Number of battery cells	4
Neural processor unit (NPU)		Battery capacity * Battery voltage	64 Wh 15.2 V
Neural processor unit (NPU)	Intel Al Boost	Battery recharge time	3 h
Maximum frequency NPU	1.4 GHz	Fast charging	✓
Sparsity support	✓	Battery charge indicator	· ·
Windows Studio effects support	/	Battery weight	280 g
Al datatype support on NPU	FP16, FP32, Int8	Power	· · 3
AI software frameworks supported by NPU	DirectML, ONNX RT, OpenVINO, Windows ML	AC adapter power	130 W
Memory		AC adapter frequency	50 - 60 Hz
Internal memory *	32 GB	AC adapter input voltage	100 - 240 V
Internal memory type	DDR5-SDRAM	USB Type-C charging port *	✓
Memory form factor	SO-DIMM	USB Power Delivery (USB PD)	✓
Memory layout (slots x size)	1 x 32 GB	USB charging voltage	5,20 V
Memory slots	2x SO-DIMM	Security	
Maximum internal memory *	64 GB	Cable lock slot	✓
Memory data transfer rate	5600 MT/s	Cable lock slot type	Wedge
Storage		Fingerprint reader	vveuge ✓
Total storage capacity *	1 TB	Smart card reader	✓
Storage media *	SSD	Trusted Platform Module (TPM)	√
Total SSDs capacity	1 TB	Trusted Platform Module (TPM)	
Number of SSDs installed	1 1 TD	version	2.0
SSD capacity SSD interface	1 TB PCI Express 4.0	Operational conditions	
NVMe	✓	Operating temperature (T-T)	0 - 35 °C
SSD form factor	M.2	Storage temperature (T-T)	-40 - 65 °C
Optical drive type *	×	Operating relative humidity (H-H)	10 - 90%
Card reader integrated	··	Storage relative humidity (H-H)	0 - 95%
, and the second	MicroSD (TransFlash), MicroSDHC,	Operating altitude	-15.2 - 3048 m
Compatible memory cards	MicroSDXC	Non-operating altitude	-15.2 - 10668 m
Graphics		Operating shock	110 G 160 G
Discrete graphics card model *	NVIDIA RTX 1000 Ada	Non-operating shock Operating vibration	0.66 G
Discrete graphics card memory	6 GB	Non-operating vibration	1.3 G
Discrete graphics memory type	GDDR6	Sustainability	
On-board graphics card *	✓		1
On-board GPU manufacturer	Intel	Sustainability compliance	✓ ENERGY STAR, TCO
Discrete graphics card *	✓	Sustainability certificates	LINERUI STAR, ICU
On-board graphics card family	Intel Arc Graphics	Weight & dimensions	
On-board graphics card model *	Intel Arc Graphics	Width	357.8 mm
		LIGHTH	233.3 mm
Audio		Depth Height (front)	
Audio Number of built-in speakers	2	Height (front)	2.27 cm
Audio Number of built-in speakers Speakers manufacturer	Waves	Height (front) Height (rear)	2.27 cm 2.47 cm
Audio Number of built-in speakers		Height (front)	2.27 cm

Audio		Carbon footprint	
Number of microphones	2	Total carbon footprint (kg of CO2e)	120
Camera		Carbon emissions, manufacturing (kg of CO2e)	84
Front camera	✓	Carbon emissions, logistics (kg of CO2e)	5
Front camera resolution (numeric)	2.07 MP		
Front camera resolution	1920 x 1080 pixels	Carbon emissions, energy usage (kg of CO2e)	31
		Carbon emissions, end-of-life (kg of CO2e)	1
		Total carbon emissions, w/o use phase (kg of CO2e)	89
		PAIA version	GaBi version 1, 2024
		Packaging content	
		Cables included	AC

