

Samsung Galaxy A36 17 cm (6.7") Kaksik-SIM Android 15 5G USB tüüp-C 6 GB 128 GB 5000 mAh Lavendel

Brand : Samsung
Product code: SM-A366BLVBEUE
Product name : Galaxy A36

Samsung Galaxy A36. Ekraani diagonaal: 17 cm (6.7"), Ekraani resolutsioon: 1080 x 2340 pikslit. Protsessori perekond: Qualcomm Snapdragon, Protsessori mudel: 6 Gen 3. RAM-i maht: 6 GB, Sisemine mälumaht: 128 GB. Tagakaamera resolutsioon (numbriline): 50 MP, Tagumise kaamera tüüp: Kolmekordne kaamera (Triple camera). SIM-kaardi võimekus: Kaksik-SIM. Installitud operatsioonisüsteem: Android 15. Aku mahutavus: 5000 mAh. Toote värv: Lavendel. Kaal: 195 g



Display		Network	
Display diagonal *	17 cm (6.7")	SIM card capability *	Dual SIM
Screen shape	Flat	Mobile network generation *	5G
Display technology marketing name	Super AMOLED	SIM card type *	NanoSIM + eSIM
Display glass type	Gorilla Glass	3G standards *	UMTS, WCDMA
Gorilla Glass version	Gorilla Glass 7	4G standard *	LTE-TDD & LTE-FDD
Display resolution *	1080 x 2340 pixels	5G standard *	Sub6 FDD, Sub6 TDD
Display number of colours	16 million colours	Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
Maximum refresh rate	120 Hz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Display brightness	1200 cd/m²	Bluetooth *	✓
Pixel density	385 ppi	Bluetooth version	5.4
Brand specific technologies	Always-on display	3G bands supported	700,800,850,900,1500,1800,1900,2100,2300,2500,2600 MHz
Processor		4G bands supported	700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz
Processor family *	Qualcomm Snapdragon	5G bands supported	1000 Mbit/s
Processor model *	6 Gen 3	5G data rate (max)	3.26 Gbit/s
Processor cores	8	Wi-Fi Direct	✓
Processor boost frequency	2.4 GHz	MIMO	✓
Artificial Intelligence processor family	Qualcomm	Near Field Communication (NFC)	✓
Storage		Ports & interfaces	
RAM capacity *	6 GB	USB connector type	USB Type-C
Internal storage capacity *	128 GB	USB version	2.0
Compatible memory cards *	Not supported	Headphone connectivity	USB Type-C
Camera		Design	
Rear camera sensor size	1/1.95"	Form factor *	Bar
Second rear camera sensor size	1/4.0"	Product colour *	Lavender
Third rear camera sensor size	1/5.0"	Colour name	Awesome Lavender
Rear camera resolution (numeric) *	50 MP	International Protection (IP) code	IP67
Second rear camera resolution (numeric)	8 MP	Performance	
Third rear camera resolution (numeric)	5 MP	Wireless charging	✗
Rear camera aperture number	1.8	Fingerprint reader	✓
Second rear camera aperture number	2.2	Navigation	
Third rear camera aperture number	2.4	GPS (satellite)	✓
Rear camera pixel size	0.8 µm	GLONASS	✓
Second rear camera pixel size	1.12 µm	BeiDou	✓
		Galileo	✓
		Quasi-Zenith Satellite System (QZSS)	✓

Camera		Navigation	
Third rear camera pixel size	1.12 µm	Position location *	✓
Rear camera field of view (FOV) angle	80°	Multimedia	
Second rear camera field of view (FOV) angle	120°	Audio system	Dolby Atmos
Third rear camera field of view (FOV) angle	78°	Audio formats supported	3GA, AAC, AMR, AWB, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF
Digital zoom	10x	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Front camera type *	Single camera	Software	
Front camera resolution (numeric) *	12 MP	Platform *	Android
Front camera aperture number	2.2	Operating system installed *	Android 15
Front camera pixel size	1.12 µm	Operating system fork	One UI 7.0
Front camera field of view (FOV) angle	81°	Google applications	Gmail, Google Chrome, Google Drive, Google Meet, Google Play, YouTube
Rear camera flash *	✓	Battery	
Flash type	LED	Battery recharge time	1.8 h
Optical sensor size	25.4 / 3.2 mm (1 / 3.2")	Battery capacity *	5000 mAh
Maximum frame rate	240 fps	Sensors	
Resolution at capture speed	1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps	Proximity sensor	✓
Rear camera type *	Triple camera	Accelerometer	✓
Panorama	✓	Ambient light sensor	✓
Portrait mode	✓	Gyroscope	✓
Macro photography	✓	Geomagnetic sensor	✓
Slow motion mode	✓	Power	
Slow motion rate	240 fps in HD	USB Type-C charging port	✓
Camera image formats supported	DNG, HEIF, JPEG	USB Power Delivery (USB PD)	✓
		USB Type-C required charging power (min) *	10 W
		USB Type-C required charging power (max) *	45 W
		Weight & dimensions	
		Width	78.2 mm
		Depth	7.4 mm
		Height	162.9 mm
		Weight *	195 g
		Packaging content	
		AC adapter included *	✗



8806095984414

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAY-2025. Prints or copies of Information are only valid on the printed Publication date