Samsung Galaxy A35 5G 16,8 cm (6.6") Hybrid Dual SIM Android 14 USB tüüp-C 8 GB 256 GB 5000 mAh Meresinine

Brand : Samsung **Product family:** Galaxy **Product code:** SM-A356BZKGEUB

Product name: A35 5G

Samsung Galaxy A35 5G . Ekraani diagonaal: 16,8 cm (6.6"), Ekraani resolutsioon: 1080 x 2340 pikslit. Protsessori sagedus: 2 GHz, Protsessori perekond: Samsung Exynos. RAM-i maht: 8 GB, Sisemine mälumaht: 256 GB. Tagakaamera resolutsioon (numbriline): 50 MP, Tagumise kaamera tüüp: Kolmekordne kaamera (Triple camera). SIM-kaardi võimekus: Hybrid Dual SIM. Installitud operatsioonisüsteem: Android 14. Aku mahutavus: 5000 mAh. Toote värv: Meresinine. Kaal: 209 g



Display		Camera	
Display diagonal * Screen shape	16.8 cm (6.6") Flat	Camera High Dynamic Range (HDR) mode	•
Display technology marketing name	•	Time lapse mode	✓
Panel type	AMOLED	Image stabilizer	✓
Display glass type	Gorilla Glass	Image stabilizer type	Optical Image Stabilization (OIS)
Gorilla Glass version	Gorilla Glass Victus+	Night mode	✓
Display resolution *	1080 x 2340 pixels	Panorama	✓
Display number of colours Maximum refresh rate	16 million colours 120 Hz	Macro photography	✓
Display brightness	1000 cd/m ²	Network	
Maximum display brightness (Outdoor)	1650 cd/m ²	SIM card capability * Mobile network generation *	Hybrid Dual SIM
Pixel density	389 ppi	SIM card type *	NanoSIM + eSIM
Brand specific technologies	Always-on display	3G standards *	UMTS, WCDMA
Processor		4G standard *	LTE-TDD & LTE-FDD
Processor family *	Samsung Exynos	5G standard *	Sub6 FDD, Sub6 TDD
Processor cores	8	Wi-Fi	✓
Processor boost frequency Processor frequency *	2.4 GHz 2 GHz	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Storage		Bluetooth *	✓
User memory	234 GB	Bluetooth version	5.3
RAM capacity *	8 GB	Wi-Fi Direct	✓
Internal storage capacity *	256 GB	MIMO	✓
Compatible memory cards *	MicroSD (TransFlash)	Modulation	1024-QAM
Maximum memory card size	1 TB	Ports & interfaces	
Camera		USB port	✓
Rear camera sensor size	1/1.96"	USB connector type	USB Type-C
Second rear camera sensor size	1/4"	USB version	2.0
Third rear camera sensor size	1/5"	Design	
Rear camera resolution (numeric) * Second rear camera resolution	50 MP	Form factor *	Bar
(numeric)	8 MP	Product colour *	Navy
Third rear camera resolution (numeric)	5 MP	Colour name International Protection (IP) code	Awesome Navy
Rear camera aperture number	1.8		IP67
Second rear camera aperture number	2.2	Housing material	Glass, Metal

Camera		Performance	
Third rear camera aperture number	2.4	Fast charging	✓
Rear camera pixel size	0.8 μm		•
Second rear camera pixel size	1.12 μm	Fingerprint reader	•
Third rear camera pixel size	1.12 μm	Face recognition	*
Rear camera field of view (FOV) angle	80°	Navigation GPS (satellite)	,
Second rear camera field of view (FOV) angle	120°	GLONASS	*
Third rear camera field of view (FOV) angle	78°	BeiDou Galileo	/
Digital zoom	10x	Quasi-Zenith Satellite System	•
Front camera type *	Single camera	(QZSS)	1
Front camera sensor size	1/3.06"	Position location *	✓
Front camera resolution (numeric) *	13 MP	Multimedia	
Front camera aperture number	2.2		
Front camera pixel size	1.12 μm	Audio system	Dolby Atmos
Front camera field of view (FOV) angle	80°	Audio formats supported	3GA, AAC, AMR, AWB, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF
Rear camera flash *	✓		3G2, 3GP, AVI, FLV, M4V, MKV, MP4,
Flash type	LED	Video formats supported	WEBM
Video capture resolution (max)	3840 x 2160 pixels	Software	
Maximum frame rate	240 fps	Platform *	Android
Resolution at capture speed	1280x720@30fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps	Operating system installed *	Android 14
		Battery	
Rear camera type *	Triple camera	Removable battery	×
Auto focus	√	Battery capacity *	5000 mAh
		Sensors	
		Proximity sensor	✓
		Accelerometer	✓
		Ambient light sensor	✓
		Geomagnetic sensor	✓
		Hall sensor	/
		Weight & dimensions	
		•	70
		Width	78 mm
		Depth	8.2 mm
		Height	161.7 mm
		Weight *	209 g
		Packaging content	
		Cables included	USB Type-C
		SIM card ejector pin	✓
		Other features	
		Repairability index	8.4



8806095457840

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.