Samsung Galaxy Z Flip6 17 cm (6.7") Kaksik-SIM Android 14 5G USB tüüp-C 12 GB 256 GB 4000 mAh Sinine

Brand : Samsung **Product family:** Galaxy **Product code:** SM-F741BLBGEUE


Product name : Z Flip6

Samsung Galaxy Z Flip6 . Ekraani diagonaal: 17 cm (6.7"), Ekraani resolutsioon: 2640 x 1080 pikslit. Protsessori perekond: Qualcomm Snapdragon, Protsessori mudel: 8 Gen 3. RAM-i maht: 12 GB, Sisemine mälumaht: 256 GB. Tagakaamera resolutsioon (numbriline): 50 MP, Tagumise kaamera tüüp: Kahepoolne kaamera. SIM-kaardi võimekus: Kaksik-SIM. Installitud operatsioonisüsteem: Android 14. Aku mahutavus: 4000 mAh. Toote värv: Sinine. Kaal: 187 g



Display		Camera	
Display diagonal *	17 cm (6.7")	Portrait mode	✓
Screen shape	Flat	Slow motion mode	✓
Display technology marketing name	•	Network	
Panel type Display glass type Gorilla Glass version Display resolution * Display number of colours Maximum refresh rate Display brightness Maximum display brightness (Outdoor) Pixel density Brand specific technologies Second display Second display diagonal Second display resolution Second display brightness	AMOLED Gorilla Glass Gorilla Glass Victus 2 2640 x 1080 pixels 16 million colours 120 Hz 1300 cd/m² 2600 cd/m² 425 ppi Always-on display ✓ 8.64 cm (3.4") 720 x 748 pixels 1000 cd/m²	SIM card capability * Mobile network generation * SIM card type * 3G standards * 4G standard * 5G standard * Wi-Fi Top Wi-Fi standard * Wi-Fi standards Bluetooth * Bluetooth version Wi-Fi Direct	Dual SIM 5G NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD ✓ Wi-Fi 6 (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax) ✓ 5.3
Second display type	Super AMOLED	MIMO	/
Second display pixel density	306 ppi	Modulation	1024-QAM
Processor		Near Field Communication (NFC)	✓
Processor family * Processor model * Processor cores Processor boost frequency	Qualcomm Snapdragon 8 Gen 3 8 3.39 GHz	Ports & interfaces USB port USB connector type USB version	✓ USB Type-C 3.2 Gen 1 (3.1 Gen 1)
Storage		Headphone connectivity	USB Type-C
User memory RAM capacity * Internal storage capacity * Compatible memory cards *	227.7 GB 12 GB 256 GB Not supported	Design Form factor * Product colour * International Protection (IP) code	Clamshell Blue IP48
Camera		Performance	
Rear camera sensor size Second rear camera sensor size Rear camera resolution (numeric) * Second rear camera resolution (numeric)	1/1.56" 1/3.2" 50 MP 12 MP	Fast charging Wireless charging Fingerprint reader Face recognition	<!--</td-->
Rear camera resolution Rear camera aperture number	6120 x 8160 pixels 1.8	USB On-The-Go support	/

Camera		Navigation	
Second rear camera aperture	2.2	GPS (satellite)	✓
number		GLONASS	✓
Rear camera pixel size	1 μm	BeiDou	✓
Second rear camera pixel size	1.12 μm	Galileo	
Rear camera field of view (FOV) angle	85°	Quasi-Zenith Satellite System	· ·
Second rear camera field of view (FOV) angle	123°	(QZSS) Position location *	✓
Digital zoom	10x	Multimedia	
Front camera type *	Single camera		3GA, AAC, AMR, APE, AWB, DFF,
Front camera sensor size	1/3.24"	A de formation and de	DSF, FLAC, IMY, M4A, Mid, MIDI,
Front camera resolution (numeric) *		Audio formats supported	MP3, MXMF, OGA, OGG, OTA, RTTTL,
Front camera aperture number	2.2		RTX, WAV, XMF
Front camera pixel size	1.22 μm	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Front camera field of view (FOV) angle	85°	Software	WESH
Rear camera flash *	✓	Platform *	Android
Flash type	LED	Operating system installed *	Android 14
Video capture resolution (max)	2160 x 3840 pixels	Virtual assistant	Samsung Bixby
Maximum frame rate	240 fps	Pottom.	<i>3</i> ,
	1280x720@30fps, 1920x1080@120fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps, 3840x2160@60fps	Battery	
		Battery recharge time	1.5 h
Resolution at capture speed		Battery capacity *	4000 mAh
		Sensors	
		Proximity sensor	✓
Rear camera type *	Dual camera	Accelerometer	✓
Auto focus	✓	Ambient light sensor	✓
Time lapse mode	✓	Gyroscope	✓
lmage stabilizer	/	Barometer	1
Image stabilizer type	Optical Image Stabilization (OIS)	Geomagnetic sensor	·
Night mode	/	•	· ·
Panorama	1	Hall sensor	•
		Weight & dimensions	
		Width	71.9 mm
		Depth	6.9 mm
		Height	165.1 mm
		Weight *	187 g
		Folded width	7.19 cm
		Folded depth	1.49 cm
		Folded height	8.51 cm
		Packaging content	
		Cables included	USB Type-C
		SIM card ejector pin	✓



8806095614700

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.