Samsung Galaxy A26 17 cm (6.7") Hybrid Dual SIM Android 15 5G USB tüüp-C 6 GB 128 GB 5000 mAh Piparmündi värv

Brand : Samsung **Product family:** Galaxy **Product code:** SM-A266BLGBEUE

Product name: Galaxy A26

Samsung Galaxy A26. Ekraani diagonaal: 17 cm (6.7"), Ekraani resolutsioon: 1080 x 2340 pikslit. Protsessori perekond: Samsung Exynos. RAM-i maht: 6 GB, Sisemine mälumaht: 128 GB. Tagakaamera resolutsioon (numbriline): 50 MP, Tagumise kaamera tüüp: Kolmekordne kaamera (Triple camera). SIM-kaardi võimekus: Hybrid Dual SIM. Installitud operatsioonisüsteem: Android 15. Aku mahutavus: 5000 mAh. Toote värv: Piparmündi värv. Kaal: 200 g



Display		Camera			
Display diagonal *	17 cm (6.7")	Camera image formats supp	orted	DNG, HEIF, JPEG	
Screen shape	Flat	Network	letwork		
Display technology marketing name Display glass type Gorilla Glass version Display resolution * Display number of colours Maximum refresh rate Display brightness Pixel density	Super AMOLED Gorilla Glass Gorilla Glass Victus+ 1080 x 2340 pixels 16 million colours 120 Hz 800 cd/m² 387 ppi	SIM card capability * Mobile network generation * SIM card type * 3G standards * 4G standard * Top Wi-Fi standard * Wi-Fi standards Bluetooth *	Sub6 FDI Wi-Fi 5 (8	CDMA & LTE-FDD D, Sub6 TDD 302.11ac) 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5	
Processor		Bluetooth version	5.3		
Processor family * Processor cores	Samsung Exynos	3G bands supported 4G bands supported	700,800, MHz	1900,2100 MHz 850,900,1500,1800,1900,2100,2300,2500,2600	
Processor boost frequency	2.4 GHz	5G bands supported	700,800, MHz	850,900,1800,2100,2300,2500,2600,3500,3700	
Storage User memory	234.3 GB	4G data rate (max) 5G data rate (max) Wi-Fi Direct Near Field Communication (NFC)	1200 Mbi 2.33 Gbit		
RAM capacity *	6 GB	, ,	•		
Internal storage capacity *	128 GB	Ports & interfaces			
Compatible memory cards * Maximum memory card size	MicroSD (TransFlash) 2 TB	USB connector type		USB Type-C	
Camera	210	USB version Headphone connectivity		2.0 USB Type-C	
	1/2 761			03B 1, pc c	
Rear camera sensor size	1/2.76" 1/4.0"	Design		_	
Second rear camera sensor size Third rear camera sensor size	1/5.0"	Form factor *		Bar	
Rear camera resolution (numeric) *	50 MP	Product colour *	aada	Mint colour IP67	
Second rear camera resolution (numeric)	8 MP	International Protection (IP) Performance	coue	1007	
Third rear camera resolution (numeric)	2 MP	Wireless charging Fingerprint reader		×	
Rear camera aperture number	1.8	5 .		•	
Second rear camera aperture number	2.2	Navigation GPS (satellite)		✓	
Third rear camera aperture number	2.4	GLONASS		1	
Rear camera pixel size	0.64 μm	BeiDou 🗸		,	
Second rear camera pixel size	1.12 μm	Galileo		•	
Third rear camera pixel size	1.75 μm	Gained		•	

Camera		Navigation	
Rear camera field of view (FOV)		Quasi-Zenith Satellite System	
angle	77°	(QZSS)	✓
Second rear camera field of view (FOV) angle	120°	Position location *	✓
Third rear camera field of view (FOV) angle	89°	Multimedia Audio system	Dolby Atmos
Digital zoom	10x	Addio System	3GA, AAC, AMR, AWB, FLAC, IMY,
Front camera type *	Single camera	Audio formats supported	M4A, Mid, MIDI, MP3, MXMF, OGA,
Front camera sensor size	1/3.0"		OGG, OTA, RTTTL, RTX, WAV, XMF
Front camera resolution (numeric) *	13 MP	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Front camera aperture number	2.2		WEDIN
Front camera pixel size	1.12 μm	Software	
Front camera field of view (FOV) angle	80°	Platform *	Android 15
•		Operating system installed *	Android 15
Rear camera flash *	✓	Operating system fork	One UI 7.0
Flash type Video capture resolution (max) Maximum frame rate	LED 3840 x 2160 pixels 480 fps	Google applications	Gmail, Google Chrome, Google Drive, Google Meet, Google Play, YouTube
Maximum name rate	1280x720@30fps,	Battery	
Pecalution at capture speed	1920x1080@30fps, 1920x1080@60fps, 3840x2160@30fps	Battery recharge time	1.23 h
Resolution at capture speed		Battery capacity *	5000 mAh
Rear camera type *	Triple camera	Continuous video playback time	17 h
Auto focus	✓	Sensors	
Image stabilizer	✓	Proximity sensor	1
Image stabilizer type	Optical Image Stabilization (OIS)	Accelerometer	•
Night mode	✓		•
Panorama	·	Ambient light sensor	•
ranorama	▼ ·		
Burney Street and a	,	Gyroscope	•
Portrait mode	/	Gyroscope Geomagnetic sensor	*
Macro photography	*	,	,
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power	*
Macro photography		Geomagnetic sensor Power USB Type-C charging port	
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power	✓
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power USB Type-C charging port USB Power Delivery (USB PD) USB Type-C required charging	* *
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power USB Type-C charging port USB Power Delivery (USB PD) USB Type-C required charging power (min) * USB Type-C required charging	7 7 10 W
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power USB Type-C charging port USB Power Delivery (USB PD) USB Type-C required charging power (min) * USB Type-C required charging power (max) *	7 7 10 W
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power USB Type-C charging port USB Power Delivery (USB PD) USB Type-C required charging power (min) * USB Type-C required charging power (max) * Weight & dimensions	10 W 25 W
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power USB Type-C charging port USB Power Delivery (USB PD) USB Type-C required charging power (min) * USB Type-C required charging power (max) * Weight & dimensions Width	7 10 W 25 W 77.5 mm
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power USB Type-C charging port USB Power Delivery (USB PD) USB Type-C required charging power (min) * USB Type-C required charging power (max) * Weight & dimensions Width Depth	77.5 mm 7.7 mm
Macro photography Slow motion mode	<i>'</i>	Geomagnetic sensor Power USB Type-C charging port USB Power Delivery (USB PD) USB Type-C required charging power (min) * USB Type-C required charging power (max) * Weight & dimensions Width Depth Height	77.5 mm 7.7 mm 164 mm



8806097072850

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.