Samsung Galaxy S25 Ultra SM-S938B/DS 17,5 cm (6.9") Kaksik-SIM Android 15 5G USB tüüp-C 12 GB 1 TB 5000 mAh Roosa kuld

Brand : Samsung **Product family:** Galaxy **Product code:** SM-S938BZDHEUE

Product name: SM-S938B/DS

Samsung Galaxy S25 Ultra SM-S938B/DS. Ekraani diagonaal: 17,5 cm (6.9"), Ekraani resolutsioon: 3120 x 1440 pikslit. Protsessori perekond: Qualcomm Snapdragon, Protsessori mudel: 8 Elite. RAM-i maht: 12 GB, Sisemine mälumaht: 1 TB. Tagakaamera resolutsioon (numbriline): 200 MP, Tagumise kaamera tüüp: Quad kaamera. SIM-kaardi võimekus: Kaksik-SIM. Installitud operatsioonisüsteem: Android 15. Aku mahutavus: 5000 mAh. Toote värv: Roosa kuld. Kaal: 218 g





Display		Camera		
Display diagonal *	17.5 cm (6.9")	Slow motion mode		✓
Screen shape	Flat	Slow motion rate		240fps in FHD, 120fps in UHD
Display technology marketing name	Dynamic AMOLED 2X	Camera image formats s	upported	DNG, HEIF, JPEG
Panel type	AMOLED	Network		-
Display resolution *	3120 x 1440 pixels	SIM card capability *	Dual SIM	
Display number of colours	16 million colours	Mobile network generation *	5G	
Maximum refresh rate	120 Hz	SIM card type * 3G standards *	NanoSIM + eS UMTS, WCDMA	
Display brightness	1500 cd/m ²	4G standard *	LTE-TDD & LTE	
Pixel density	500 ppi	5G standard *		b6 SDL, Sub6 TDD
Brand specific technologies	Always-on display	Wi-Fi Top Wi-Fi standard *	✓ Wi-Fi 7 (802.1)	1be)
Rounded display corners	✓	Wi-Fi standards	802.11a, 802.	11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), 1ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Processor		Bluetooth *	✓	
		Bluetooth version	5.4 850,900,1900	21.00 MUz
Processor family *	Qualcomm Snapdragon	3G bands supported 4G bands supported		00,1500,1800,1900,2100,2300,2500,2600 MHz
Processor model *	8 Elite	5G bands supported		900,1500,1800,1900,2100,2300,2500,2600,3500,3700
Processor cores	8	4G data rate (max)	MHz 2000 Mbit/s	
Processor boost frequency	4.47 GHz	5G data rate (max)	4.66 Gbit/s	
Artificial Intelligence processor	Qualcomm	Wi-Fi Direct	✓	
family	•	MIMO Modulation	✓ 4096-QAM	
Storage		Near Field Communication (NFC)	√	
User memory	984.5 GB	Ports & interfaces		
RAM capacity *	12 GB	USB port		1
Internal storage capacity *	1 TB	USB connector type		USB Type-C
Compatible memory cards *	Not supported	USB version		3.2 Gen 1 (3.1 Gen 1)
Camera		Headphone connectivity		USB Type-C
Rear camera sensor size	1/1.3"			

Camera Design Second rear camera sensor size 1/2.52* Form factor * Bar Third rear camera sensor size 1/2.52* Product colour * Pink gold Rear camera resolution (numeric) 200 MP Colour name Titanium Pinkgold Second rear camera resolution (numeric) 50 MP Performance Third rear camera resolution (numeric) 10 MP Wireless charging ✓ Fourth rear camera aperture number 1.7 Fact charging ✓ Rear camera aperture number 1.7 Face recognition ✓ Second rear camera aperture number 1.9 Mavigation ✓ Third rear camera aperture number 1.9 Mavigation ✓ Third rear camera aperture number 2.4 GLONASS ✓ Rear camera pixel size 0.6 μm BeiDou ✓ Rear camera pixel size 0.7 μm Galileo ✓ Third rear camera pixel size 0.7 μm Quasi-Zenith Satellite System (QZSS) ✓ Fourth rear camera field of view (FOV) angle 22° Multimedia ✓
Third rear camera sensor size 1/2.52° Product colour ° Pink gold Rear camera resolution (numeric) * 200 MP Colour name Titanium Pinkgold Second rear camera resolution (numeric) 50 MP Intermational Protection (IP) code IP68 Third rear camera resolution (numeric) 50 MP Performance * Fourth rear camera resolution (numeric) 10 MP Wireless charging ✓ Rear camera aperture number 1.7 Face recognition ✓ Rear camera aperture number 1.9 Assignation ✓ Third rear camera aperture number 1.9 GPS (satellite) ✓ Fourth rear camera aperture number 2.4 GLONASS ✓ Rear camera pixel size 0.6 μm BeiDou ✓ Second rear camera pixel size 0.7 μm Galileo ✓ Fourth rear camera pixel size 0.7 μm Quasi-Zenith Satellite System ✓ Fourth rear camera field of view (FOV) angle 85° Position location * ✓ Second rear camera field of view (FOV) angle 22° Multimedia <
Rear camera resolution (numeric)* 200 MP Second rear camera resolution (numeric) Second rear camera resolution (numeric) Second rear camera resolution (numeric) Third rear camera resolution (numeric) Fourth rear camera resolution (numeric) Rear camera aperture number Rear camera aperture number Second rear camera pixel size Second rear camera field of view (FOV) angle Second rea
Second rear camera resolution (numeric) Third rear camera aperture number Third rear camera aperture Third rear camera pixel size Third rear camera field of view (FOV) Third rear c
Commeric) So MP Performance Third rear camera resolution (numeric) 50 MP Fast charging ✓ Fourth rear camera resolution (numeric) 10 MP Wireless charging ✓ Rear camera aperture number 1.7 Fingerprint reader ✓ Second rear camera aperture number 1.9 Mavigation ✓ Fourth rear camera aperture number 1.9 GPS (satellite) ✓ Fourth rear camera aperture number 2.4 GPS (satellite) ✓ Fourth rear camera aperture number 0.6 µm BeiDou ✓ Rear camera pixel size 0.7 µm Galileo ✓ Second rear camera pixel size 0.7 µm Quasi-Zenith Satellite System (QZSS) ✓ Fourth rear camera pixel size 1.12 µm Quasi-Zenith Satellite System (QZSS) ✓ Fourth rear camera field of view (FOV) angle 85° Position location * ✓ Second rear camera field of view (FOV) angle 120° Audio formats supported 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OGA, OGA, OGA, OGA, OGA, OGA
Interpretation (numeric) (numeric) (numeric)50 MPFast charging✓Fourth rear camera resolution (numeric)10 MPWireless charging✓Rear camera aperture number1.7Fingerprint reader✓Second rear camera aperture number3.4NavigationThird rear camera aperture number1.9MavigationFourth rear camera aperture number2.4GLONASS✓Fourth rear camera pixel size0.6 μmBeiDou✓Second rear camera pixel size0.7 μmGalileo✓Second rear camera pixel size0.7 μmQuasi-Zenith Satellite System✓Fourth rear camera pixel size1.12 μmQuasi-Zenith Satellite System✓Fourth rear camera field of view (FOV) angle85°Position location *✓Rear camera field of view (FOV) angle22°MultimediaForly angle120°Audio formats supported3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MIMR, GOA, OGG, OTA, RITTI QDIcal zoomDigital zoom100xVideo formats supported3G2, 3GP, AVI, FLV, M4V, MKV, MP4 WEBMFront camera sensor size1/3.2"SoftwareFront camera resolution (numeric)*12 MPPlatform *Android
Fourth rear camera aperture number 1.9 Fourth rear camera pixel size 0.6 µm BeiDou ✓ Fourth rear camera pixel size 0.7 µm Galileo ✓ Fourth rear camera pixel size 0.7 µm Quasi-Zenith Satellite System (QZSS) Fourth rear camera pixel size 1.12 µm Quasi-Zenith Satellite System (QZSS) Rear camera field of view (FOV) angle 22° Full rear camera field of view (FOV) angle 100x Fill rear camera field of view (FOV) angle 100x Fill rear camera field of view (FOV) angle 100x Fill rear camera field of view (FOV) angle 100x Fill rear camera field of view (FOV) angle 100x Fill rear camera field of view (FOV) angle 100x Fill rear camera field of view (FOV) angle 100x Fill rear camera field of view (FOV) angle 100x Front camera type * Single camera Front camera resolution (numeric) 12 MP Fill rear camera filed of view (FOV) and (Android)
(numeric)10 MPWinterest clargingVery CompaniesRear camera aperture number1.7Fingerprint readerYes ConditionSecond rear camera aperture number3.4NavigationThird rear camera aperture number1.9GPS (satellite)Yes ConditionFourth rear camera aperture number2.4GLONASSYes ConditionRear camera pixel size0.6 µmBeiDouYes ConditionSecond rear camera pixel size0.7 µmGalileoYes ConditionFourth rear camera pixel size0.7 µmQuasi-Zenith Satellite System (OZSS)Yes ConditionFourth rear camera field of view (FOV) angle85°Position location *Yes ConditionSecond rear camera field of view (FOV) angle22°MultimediaSecond rear camera field of view (FOV) angle120°Audio formats supported3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, MAA, Mid, MIDI, MIDI, MP3, MXMF, GOA, OGG, OTA, RTTT, RTX, WAV, XMFOptical zoom10xVideo formats supported3G2, 3GP, AVI, FLV, M4V, MKV, MP4, MY3, MXMF, GOA, OGG, OTA, RTTT, RTX, WAV, XMFFront camera sensor size1/3.2"SoftwareFront camera resolution (numeric) * 12 MPPlatform *Android
Second rear camera aperture number Third rear camera aperture number Third rear camera aperture number 1.9 GPS (satellite) GLONASS Rear camera pixel size 0.6 μm Second rear camera pixel size 0.7 μm Galileo Third rear camera pixel size 0.7 μm Guasi-Zenith Satellite System (QZSS) Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Optical zoom 10x Multimedia Tux Audio formats supported WEBM Front camera sensor size Front camera sensor size 1/3.2" Face recognition Android
Navigation Third rear camera aperture number 1.9 Fourth rear camera aperture number 2.4 Rear camera pixel size 0.6 μm BeiDou Second rear camera pixel size 0.7 μm Galileo Fourth rear camera pixel size 0.7 μm Quasi-Zenith Satellite System (QZSS) Fourth rear camera pixel size 1.12 μm Quasi-Zenith Satellite System (QZSS) Rear camera field of view (FOV) angle 85° Position location * ✓ Second rear camera field of view (FOV) angle 22° Multimedia 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTR RTX, WAV, XMF Third rear camera field of view (FOV) angle 10x Video formats supported 3G2, 3GP, AVI, FLV, M4V, MKV, MP4 WEBM Optical zoom 10x Video formats supported 3G2, 3GP, AVI, FLV, M4V, MKV, MP4 WEBM Front camera type * Single camera Front camera resolution (numeric) * 12 MP Platform * Android
Fourth rear camera aperture number Fourth rear camera aperture number 2.4 GLONASS Rear camera pixel size 0.6 µm Second rear camera pixel size 0.7 µm Galileo Third rear camera pixel size 0.7 µm Quasi-Zenith Satellite System (OZSS) Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Third rear
Rear camera pixel size 0.6 µm BeiDou ✓ Second rear camera pixel size 0.7 µm Galileo ✓ Third rear camera pixel size 0.7 µm Quasi-Zenith Satellite System (QZSS) Rear camera pixel size 1.12 µm (QZSS) Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Digital zoom Front camera type * Single camera Front camera resolution (numeric) * 12 MP Platform * Android
Rear camera pixel size 0.6 µm Second rear camera pixel size 0.7 µm Galileo Third rear camera pixel size 0.7 µm Quasi-Zenith Satellite System (QZSS) Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle 120° Audio formats supported Multimedia Third rear camera field of view (FOV) angle Optical zoom Digital zoom Digital zoom Digital zoom Tox Video formats supported Tox Software Front camera resolution (numeric) * 12 MP Platform * Android
Second rear camera pixel size 0.7 µm Galileo
Third rear camera pixel size Fourth rear camera pixel size Fourth rear camera pixel size Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Third rear camera field
Fourth rear camera pixel size Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera sensor size Front camera resolution (numeric)* 1.12 µm (QZSS) Position location * Position location * Multimedia Audio formats supported Audio formats supported Audio formats supported Video formats supported Video formats supported Software Front camera resolution (numeric)* Platform * Android
Rear camera field of view (FOV) angle Second rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera sensor size Front camera resolution (numeric)* 85° Position location * Multimedia 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTT RTX, WAV, XMF Optical zoom 100x Video formats supported Software Front camera resolution (numeric)* 12 MP Platform * Android
angle Second rear camera field of view (FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Front camera sensor size Front camera resolution (numeric)* 12 MP Multimedia Multimedia Multimedia Audio formats supported Audio formats supported Multimedia 3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTT NMP3, MXMF, OGA, OGG, OTA, R
(FOV) angle Third rear camera field of view (FOV) angle Optical zoom Digital zoom Digital zoom Front camera sensor size Front camera resolution (numeric)* 120° Audio formats supported Audio formats supported Audio formats supported NP3, MXMF, OGA, OGG, OTA, RTTTI NP4, MP4, MVV, MP4 WEBM Software Front camera resolution (numeric)* Platform * Android
Third rear camera field of view (FOV) angle Optical zoom 10x Digital zoom 100x Video formats supported Front camera sensor size Front camera resolution (numeric)* 120° Audio formats supported DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTI RTX, WAV, XMF Single camera Software Front camera resolution (numeric)* Platform* Android
Digital zoom 100x Video formats supported 3G2, 3GP, AVI, FLV, M4V, MKV, MP4 Front camera type * Single camera Front camera sensor size 1/3.2" Software Front camera resolution (numeric) * 12 MP Platform * Android
Front camera type * Single camera Front camera resolution (numeric) * 12 MP Platform * Mideo formats supported WEBM Android
Front camera type * Single camera Front camera sensor size 1/3.2" Front camera resolution (numeric) * 12 MP Platform * Android
Front camera resolution (numeric) * 12 MP Platform * Android
Tiddonii Aliarda
Front camera aperture number 2.2 Operating system installed * Android 15
Front camera pixel size 1.12 μm Operating system fork One UI 7.0
Front camera field of view (FOV) angle Battery
Rear camera flash * Battery capacity * 5000 mAh
Flash type LED Sensors
Video capture resolution (max) 4320 x 7680 pixels Proximity sensor ✓
Maximum frame rate 240 fps Accelerometer ✓
1280x720@30fps,
1920x1080@30fps, Ambient light sensor Resolution at capture speed 1920x1080@60fps, Gyroscope
3840x2160@30fps,
3840x2160@60fps Barometer ✓
Video recording modes 720p, 1080p, 2160p, 4320p Geomagnetic sensor ✓
Rear camera type * Quad camera Hall sensor
Auto focus Power
Image stabilizer
Image stabilizer type Optical Image Stabilization (OIS) USB Type-C charging port
Night mode USB Power Delivery (USB PD)
Panorama USB Type-C required charging power (min) * 10 W
Portrait mode USB Type-C required charging power (max) * 45 W
Weight & dimensions
Weight & dimensions Width 77.6 mm
Width 77.6 mm
Width 77.6 mm Depth 8.2 mm
Width 77.6 mm Depth 8.2 mm Height 162.8 mm



8806097075905

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.