AXAGON

Axagon HMC-6G2L sülearvuti dokk ja pordireplikaator Juhtmega ühendatud USB 3.2 Gen 2 (3.1 Gen 2) Type-C Alumiinium

Brand : Axagon

Product code: HMC-6G2L

Product name : HMC-6G2L

Axagon HMC-6G2L. Ühenduvustehnoloogia: Juhtmega ühendatud, Hostiliides: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB Power Delivery kuni: 100 W. Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s, Võrgustandardid: IEEE 802.3ab, IEEE 802.3au. Toote värv: Alumiinium, HD tüüp: 4K Ultra HD, Maksimaalne digitaalresolutsioon: 4096 x 2160 pikslit. Toiteallika tüüp: USB, Toitepistmik: USB tüüp-C, Väljundpinge: 20 V. Toetatud Windowsi operatsioonisüsteemid: Windows 10, Windows 11, Muud toetatud operatsioonisüsteemid: Android, ChromeOS

Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
USB Power Delivery (USB PD)	✔
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HDMI ports quantity *	1
Microphone in *	✖
Combo headphone/mic port	✖
HDCP	✔
HDCP version	1.4/2.3

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	✔
Networking standards	IEEE 802.3ab, IEEE 802.3au

Performance

Card reader integrated *	✖
HD type	4K Ultra HD
Maximum digital resolution	4096 x 2160 pixels
Maximum refresh rate	240 Hz
Hot-Plug support	✔
Product colour *	Aluminium

Cooling

Built-in fan	✖

Power

Power source type	USB
Power connector	USB Type-C
Output voltage	20 V
Output current	5 A
USB cable length	0.15 m

Software

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	✔
Linux operating systems supported	✔
Server operating systems supported	✔
Mobile operating systems supported	✔
Other operating systems supported	Android, ChromeOS

Weight & dimensions

Width	120 mm
Depth	46 mm
Height	15 mm
Weight	79 g

Packaging data

Quantity per pack	1 pc(s)
Package width	173 mm
Package depth	94 mm
Package height	20 mm
Package weight	112 g

Performance

High Dynamic Range (HDR) supported	✔
Hub interfaces	HDMI, RJ-45, USB 3.1 (3.1 Gen 2) Type-C, USB 3.2 Gen 2 (3.1 Gen 2) Type-A
LED indicators	✔
Plug and Play	✔
Charging function	✔
Country of origin	China
Brand compatibility	Universal
Certification	CE

Audio

Built-in speaker(s)	✘
Built-in microphone	✘

Packaging content

Cables included	USB Type-C
Manual	✔

Technical details

Compliance certificates	RoHS

Other features

Cable length	0.15 m

8595247908056