Axagon HMC-5H8K USB 5Gbps hub 2x USB-A USB-C HDMI 8k/30Hz PD 100W kabel USB-C Juhtmega ühendatud USB 3.2 Gen 1 (3.1 Gen 1) Type-C Hall

Brand : Axagon Product code: HMC-5H8K

Product name: HMC-5H8K USB 5Gbps hub 2x USB-A USB-C HDMI 8k/30Hz PD 100W kabel USB-C

Axagon HMC-5H8K USB 5Gbps hub 2x USB-A USB-C HDMI 8k/30Hz PD 100W kabel USB-C. Ühenduvustehnoloogia: Juhtmega ühendatud, Hostiliides: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery kuni: 100 W. Toote värv: Hall, Andmeedastuskiirus: 5 Gbit/s, HD tüüp: 8K Ultra HD. Toiteallika tüüp: USB, Toitepistmik: USB tüüp-C, USB-kaabli pikkus: 0,15 m. Laius: 95 mm, Sügavus: 37 mm, Kõrgus: 10 mm. Kogus pakis: 1 tk, Pakendi laius: 155 mm, Pakendi sügavus: 62 mm





Ports & interfaces		Cooling	
Connectivity technology *	Wired	Built-in fan	×
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Power	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Power source type	USB
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2	Power connector USB cable length	USB Type-C 0.15 m
USB Power Delivery (USB PD)	✓	Software	
USB Power Delivery revision USB Power Delivery up to	3.0 100 W	Windows operating systems supported	/
HDMI ports quantity *	1	Mac operating systems supported	✓
Microphone in *	×	Linux operating systems supported	✓
Combo headphone/mic port	×	Server operating systems supported	✓
HDCP	✓	Mobile operating systems supported	✓
HDCP version	1.4/2.3	Other operating systems supported	✓
Network		Weight & dimensions	
Ethernet LAN *	×	Width	95 mm
Performance		Depth	37 mm
Card reader integrated *	×	Height	10 mm
Data transfer rate	5 Gbit/s	Weight	46 g
HD type	8K Ultra HD	Packaging data	
Maximum digital resolution	7680 x 4320 pixels	Quantity per pack	1 pc(s)
Maximum refresh rate	240 Hz	Package width	155 mm
Hot-Plug support	✓	Package depth	62 mm
Product colour *	Grey	Package height	20 mm
Hub interfaces	HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1)	Package weight	66 g
TIUD IIICCII aces	Type-C	Packaging content	
LED indicators	✓	Cables included	USB Type-C

erformance		Packaging content	
ug and Play	✓	Manual	✓
narging function	✓	Technical details	
ousing material	Aluminium	Compliance certificates	RoHS
ountry of origin	China		
rand compatibility	Universal		
rtification	CE		
ıdio			
uilt-in speaker(s)	×		
uilt-in microphone	×		



8595247907806

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.