## Axagon HMC-5H USB-C 3.2 Gen 1 hub 3x USB-A 4K HDMI PD 100W - Silber Juhtmega ühendatud USB 3.2 Gen 1 (3.1 Gen 1) Type-C Hõbe

Brand : Axagon Product code: HMC-5H

Product name: HMC-5H USB-C 3.2 Gen 1 hub 3x USB-A 4K

HDMI PD 100W - Silber

Axagon HMC-5H USB-C 3.2 Gen 1 hub 3x USB-A 4K HDMI PD 100W - Silber. Ühenduvustehnoloogia: Juhtmega ühendatud, Hostiliides: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery kuni: 100 W. Toote värv: Hõbe, Andmeedastuskiirus: 5 Gbit/s, HD tüüp: 4K Ultra HD. Toiteallika tüüp: USB, Toitepistmik: USB tüüp-C, USB-kaabli pikkus: 1 m. Laius: 121 mm, Sügavus: 35 mm, Kõrgus: 10 mm. Kogus pakis: 1 tk, Pakendi laius: 212 mm, Pakendi sügavus: 110 mm





Ports & interfaces		Cooling	
Connectivity technology *	Wired	Built-in fan	x
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Power	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Power source type	USB
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Power connector USB cable length	USB Type-C 1 m
USB Power Delivery (USB PD)	✓	Software	
USB Power Delivery revision USB Power Delivery up to	3.0 100 W	Windows operating systems supported	<b>✓</b>
HDMI ports quantity *	1	Mac operating systems supported	<b>✓</b>
Microphone in *	×	Linux operating systems supported	<b>✓</b>
Combo headphone/mic port	×	Server operating systems supported	
HDCP	✓	Mobile operating systems supported	<b>✓</b>
HDCP version	1.4/2.3	Other operating systems supported	<b>✓</b>
Network		Weight & dimensions	
Ethernet LAN *	×	Width	121 mm
Performance		Depth	35 mm
Card reader integrated *	×	Height	10 mm
Data transfer rate	5 Gbit/s	Weight	75 g
HD type	4K Ultra HD	Packaging data	
Maximum digital resolution Maximum refresh rate	4096 x 2160 pixels 120 Hz	Quantity per pack Package width	1 pc(s) 212 mm
Hot-Plug support	✓	Package depth	110 mm
Product colour *	Silver	Package height	27 mm
Hub interfaces	HDMI, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Package weight	125 g
nub intellaces		Packaging content	
LED indicators	✓	Cables included	USB Type-C

erformance		Packaging content	
ug and Play	✓	Manual	✓
narging function	✓	Technical details	
ousing material	Aluminium	Compliance certificates	RoHS
ountry of origin	China		
rand compatibility	Universal		
rtification	CE		
ıdio			
uilt-in speaker(s)	×		
uilt-in microphone	×		



8595247907509

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.