Axagon HMC-6M2 sülearvuti dokk ja pordireplikaator Juhtmega ühendatud USB 3.2 Gen 1 (3.1 Gen 1) Type-C Alumiinium

Brand : Axagon
Product code: HMC-6M2
Product name : HMC-6M2

Axagon HMC-6M2. Ühenduvustehnoloogia: Juhtmega ühendatud, Hostiliides: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery kuni: 100 W. Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s, Võrgustandardid: IEEE 802.1Q, IEEE 802.1p. Toote värv: Alumiinium, Toetatud ketaste tüübid: SSD, Toetatud ketaste suurused: M.2. Toiteallika tüüp: USB, Toitepistmik: USB tüüp-C, Toite tüüp: USB. Muud toetatud operatsioonisüsteemid: Android, ChromeOS

Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	✔
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HDMI ports quantity *	1
Microphone in *	✘
Combo headphone/mic port	✘
HDCP	✔
HDCP version	1.4/2.3
USB Type-C DisplayPort Alternate Mode	✔

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	✔
Networking standards	IEEE 802.1Q, IEEE 802.1p
Jumbo frames support	✔
Full duplex	✔

Performance

Card reader integrated *	✘
Number of storage drives supported	1
Supported storage drive types	SSD
Storage drive sizes supported	M.2
Built-in SSD	✘
SSD interface	M.2, SATA, SATA II, SATA III
NVMe	✘
Supported SSD sizes	M.2
SSD enclosure	✔
Data transfer rate	5 Gbit/s
HD type	4K Ultra HD
Maximum digital resolution	4096 x 2160 pixels
Maximum refresh rate	120 Hz

Performance

Country of origin	China
Brand compatibility	Universal
Certification	CE

Audio

Built-in speaker(s)	✘
Built-in microphone	✘

Cooling

Built-in fan	✘

Power

Power source type	USB
Power connector	USB Type-C
Power supply type	USB
Output voltage	20 V
Output current	5 A
USB cable length	0.18 m

Software

Windows operating systems supported	✔
Mac operating systems supported	✔
Linux operating systems supported	✔
Server operating systems supported	✔
Mobile operating systems supported	✔
Other operating systems supported	Android, ChromeOS

Weight & dimensions

Width	51 mm
Depth	14 mm
Height	123 mm
Weight	72 g

Packaging data

Quantity per pack	1 pc(s)
Package width	97 mm
Package depth	20 mm
Package height	220 mm
Package weight	116 g

Packaging content

Cables included	USB Type-C

Performance

Hot-Plug support	✔
Product colour *	Aluminium
Hub interfaces	HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
LED indicators	✔
Plug and Play	✔
Charging function	✔
Housing material	Aluminium

Packaging content

Manual	✔

Technical details

Compliance certificates	RoHS

Other features

Cable length	0.18 m
Cable type	Round cable
Overload protection	✔

8595247905796