

Axagon HMA-GL3A Multiport-Hub USB 3.0 Typ A Gbit-LAN 3x USB-A microSD Juhtmega ühendatud USB 3.2 Gen 1 (3.1 Gen 1) Type-A Must

Brand : Axagon

Product code: HMA-GL3A

Product name : HMA-GL3A Multiport-Hub USB 3.0 Typ A
Gbit-LAN 3x USB-A microSD

Axagon HMA-GL3A Multiport-Hub USB 3.0 Typ A Gbit-LAN 3x USB-A microSD. Ühenduvustehnoloogia: Juhtmega ühendatud, Hostiliides: USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s, Võrgustandardid: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Toote värv: Must, Andmeedastuskiirus: 5 Gbit/s, Jaoturi liidesed: RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Toiteallika tüüp: USB, Toitepistmik: USB tüüp A, Toite tüüp: USB. Laius: 90 mm, Sügavus: 23 mm, Kõrgus: 13 mm



Ports & interfaces		Power	
Connectivity technology *	Wired	Power source type	USB
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Power connector	USB Type-A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Power supply type	USB
USB Power Delivery (USB PD)	✗	USB cable length	0.2 m
Microphone in *	✗	Software	
Combo headphone/mic port	✗	Windows operating systems supported	✓
Network		Mac operating systems supported	✓
Ethernet LAN *	✓	Linux operating systems supported	✓
Ethernet LAN (RJ-45) ports	1	Server operating systems supported	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Mobile operating systems supported	✓
Wake-on-LAN ready	✓	Other operating systems supported	✓
Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Weight & dimensions	
Jumbo frames support	✓	Width	90 mm
Auto MDI/MDI-X	✓	Depth	23 mm
Full duplex	✓	Height	13 mm
VLAN tagging	✓	Weight	38 g
Performance		Packaging data	
Card reader integrated *	✗	Quantity per pack	1 pc(s)
Data transfer rate	5 Gbit/s	Package width	203 mm
Hot-Plug support	✓	Package depth	100 mm
Product colour *	Black	Package height	28 mm
Hub interfaces	RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Package weight	75 g
LED indicators	✓	Packaging content	
		Cables included	USB
		Manual	✓

Performance		Technical details	
Plug and Play	✓	Compliance certificates	RoHS
Country of origin	China	Other features	
Brand compatibility	Universal	Cable length	0.2 m
Certification	CE		
Audio			
Built-in speaker(s)	✗		
Built-in microphone	✗		
Cooling			
Built-in fan	✗		



8595247905598

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAY-2025. Prints or copies of Information are only valid on the printed Publication date