


Axagon PCEE-G25 võrgukaart Sisemine Ethernet 2500 Mbit/s

Brand : Axagon

Product code: PCEE-G25

Product name : PCEE-G25

Axagon PCEE-G25. Sisemine. Ühenduvustehnoloogia: Juhtmega ühendatud, Hostiliides: PCI Express, Liides: Ethernet. Andmete edastamise maksimaalne määr: 2500 Mbit/s. Toote värv: Punane, Hõbe



Ports & interfaces

Connectivity technology *	Wired
Host interface *	PCI Express
Interface *	Ethernet
Ethernet LAN (RJ-45) ports	1
PCI version	2.1
PCI Card form factor	Full-height (low-profile)

Network

Maximum data transfer rate *	2500 Mbit/s
Networking standards *	IEEE 1588v2, IEEE 802.1Q, IEEE 802.1Qav, IEEE 802.1ad, IEEE 802.1as, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u
Ethernet LAN	✓
Ethernet interface type	2.5 Gigabit Ethernet
Ethernet LAN data rates	10,100,1000,2500 Mbit/s
Cabling technology	10/100/1000BaseT(X)
Wake-on-LAN ready	✓
Full duplex	✓
VLAN support	✓
LAN controller	Realtek RTL8125B

Design

Component for *	PC
Product colour	Red, Silver
Internal *	✓
Chipset	Realtek RTL8125B
Plug and Play	✓
LED indicators	✓

Design

Country of origin	China
Certification	CE

System requirements

Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Linux operating systems supported	✓
Other operating systems supported	FreeBSD, Novell, UnixWare
Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2012, Windows Server 2016

Packaging data

Package width	145 mm
Package depth	25 mm
Package height	112 mm
Package weight	84 g

Packaging content

Mounting brackets included	✓
Manual	✓

Technical details

Compliance certificates	RoHS
-------------------------	------

Other features

Bracket height	Low-Profile (LP) / Full-Height (FH)
----------------	-------------------------------------



8595247906458

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAY-2025. Prints or copies of Information are only valid on the printed Publication date