

GIGABYTE B650M AORUS ELITE emaplaat AMD B650
Protsessoripesa AM5 ATX

Brand : GIGABYTE

Product code: B650M AORUS ELITE

Product name : B650M AORUS ELITE

GIGABYTE B650M AORUS ELITE. Protsessori tootja: AMD, Protsessori pesa: Protsessoripesa AM5, Ühilduvad protsessoriseeriad: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 256 GB, Mälupesa tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 10. Maksimaalne resolutsioon: 4096 x 2160 pikslit. Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, LAN-kontrolleri: Realtek RTL8125



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	HDMI version	2.1
Processor socket *	Socket AM5	DisplayPorts quantity	1
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	DisplayPort version	1.4
		Headphone outputs	1
Supported processor sockets	Socket AM5	Line-in	✓
Memory		S/PDIF out port	✓
Supported memory types *	DDR5-SDRAM	Network	
Number of memory slots *	4	Ethernet LAN	✓
Memory slots type	DIMM	Ethernet interface type	2.5 Gigabit Ethernet
Memory channels	Dual-channel	LAN controller	Realtek RTL8125
ECC compatibility	Non-ECC	Wi-Fi *	✗
Supported memory clock speeds	8000,7800,7600,7200,7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400 MHz	Features	
Supported memory clock speed (max)	8000 MHz	Motherboard chipset *	AMD B650
Maximum internal memory *	256 GB	Audio chip	Realtek ALC897
Unbuffered memory	✓	Audio output channels *	7.1 channels
Maximum internal memory per slot	64 GB	Product colour	Black
Storage controllers		PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive types	HDD & SSD	Component for *	PC
Supported storage drive interfaces *	M.2, SATA III	Motherboard form factor *	ATX
Number of HDDs supported	4	Motherboard chipset family *	AMD
Number of storage drives supported	6	Cooling type	Passive
RAID support	✓	Power source type	ATX
RAID levels	0, 1, 10	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Graphics		Expansion slots	
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 4.x) slots	2
Maximum resolution	4096 x 2160 pixels		
HDCP	✓		
DirectX version	12.0		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	Number of M.2 (M) slots	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	1st M.2 largest key size	25110
USB 3.2 Gen 2x2 connectors	1	1st M.2 highest PCI Express generation	5.0
Number of SATA III connectors *	4	2nd M.2 largest key size	22110
Front panel audio connector	✓	2nd M.2 highest PCI Express generation	4.0
Front panel connector	✓	BIOS	
ATX Power connector (24-pin)	✓	BIOS type *	UEFI AMI
CPU fan connector	✓	BIOS memory size	256 Mbit
Number of CPU fan connectors	2	ACPI version	5.0
Number of chassis fan connectors	4	Clear CMOS jumper	✓
EPS power connector (8-pin)	✓	Desktop Management Interface (DMI) version	2.7
Number of EPS power connectors (8-pin)	1	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Serial port headers	1	Country of origin	China
Thunderbolt headers	1	Products per shipping (inner) case	1 pc(s)
12V power connector	✓	Battery	
Number of water pump connectors	2	Battery weight	3 g
RGB LED pin header	✓	Lithium weight per battery	0.07 g
Number of RGB LED pin headers	5	Number of battery cells	1
Rear panel I/O ports		Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 2.0 ports quantity *	4	Battery type	CR2032
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Packaging data	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Package width	270 mm
USB 3.2 Gen 2x2 Type-C ports quantity	1	Package depth	268 mm
Ethernet LAN (RJ-45) ports *	1	Package height	68 mm
HDMI ports quantity *	1	Package weight	1.9 kg
		Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.66 kg
		Technical details	
		Warranty period	3 year(s)



4719331849818

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-MAY-2025. Prints or copies of Information are only valid on the printed Publication date