## GIGABYTE X870E AORUS ELITE WIFI7 AMD X870E Protsessoripesa AM5 ATX

**Brand :** GIGABYTE **Product code:** X870E A ELITE WIFI7

**Product name :** X870E AORUS ELITE WIFI7

GIGABYTE X870E AORUS ELITE WIFI7. Protsessori tootja: AMD, Protsessori pesa: Protsessoripesa AM5, Ühilduvad protsessoriseeriad: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 256 GB, Mälupesa tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 10. Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, LAN-kontroller: Realtek RTL8125, Wi-Fi standard: Wi-Fi 7 (802.11be). Komponent: PC, Emaplaadi kujutegur: ATX, Emaplaadi kiibistik: AMD





Processor			Network	
Processor manufactu	urer *	AMD	LAN controller	Realtek RTL8125
Processor socket *		Socket AM5	Wi-Fi *	✓
Compatible processor series *		AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Top Wi-Fi standard Wi-Fi standards	Wi-Fi 7 (802.11be) Wi-Fi 7 (802.11be)
Supported processor sockets		Socket AM5	WLAN controller model	MediaTek MT7925
Maximum internal memory supported by processor		256 GB	Bluetooth Bluetooth version	5.4
Memory			Features	
Supported memory types * Number of memory slots * Memory slots type Memory channels ECC compatibility Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory Maximum internal memory per slot  Storage controller Supported storage d	MHz 8200 MHz 256 GB 1GB, 2GB, 4GB, 8GB, 16G (*): 64 GB	HDD & SSD	Motherboard chipset * Audio chip	AMD X870E Realtek ALC1220 7.1 channels Black CPU, Fan, Temperature, Voltage PC ATX AMD Windows 11 x64
Supported storage drive interfaces * M.2, SATA III		Expansion slots		
Number of HDDs supported Number of storage drives supported RAID support RAID levels		4 8 •• 0, 1, 10	PCI Express x4 slots PCI Express x16 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots	2 1 1
Graphics		PCI Express x16 (Gen 5.x) slots  Number of M.2 (M) slots	1	
Parallel processing technology support * On-board graphics card		Not supported	1st M.2 largest key size 1st M.2 highest PCI Express generation	25110 5.0
• •		12.0	2nd M.2 largest key size	22110

1.1			
Internal I/O		Expansion slots	
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1)	2	2nd M.2 highest PCI Express generation	5.0
connectors *	2	3rd M.2 largest key size	22110
USB 3.2 Gen 2x2 connectors  Number of SATA III connectors *	1	3rd M.2 highest PCI Express generation	5.0
Front panel audio connector		4th M.2 largest key size	22110
Front panel connector	<b>✓</b>	4th M.2 highest PCI Express generation	4.0
ATX Power connector (24-pin)	✓	BIOS	
CPU fan connector	✓		LIEFLAMI
Number of CPU fan connectors	2	BIOS type *	UEFI AMI
Number of chassis fan connectors	4	BIOS memory size	256 Mbit
EPS power connector (8-pin)	✓	ACPI version	5.0
Number of EPS power connectors	2	Clear CMOS jumper	<b>✓</b>
(8-pin)	2	Clear CMOS button	•
TPM connector  Number of water pump connectors	<b>√</b> 2	Desktop Management Interface (DMI) version	2.7
RGB LED pin header	∠ ✓	System Management BIOS	2.7
·		(SMBIOS) version	
Number of RGB LED pin headers	4	Logistics data	
Rear panel I/O ports		Country of origin	China
USB 2.0 ports quantity *	4	Products per shipping (inner) case	1 pc(s)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2	Battery weight	3 g
ports quantity *	2	Lithium weight per battery	0.07 g
USB4 Gen 2x2 ports quantity	2	Number of battery cells	1
Ethernet LAN (RJ-45) ports * HDMI ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI version	2.1	Battery type	CR2032
DisplayPort version	1.4	Packaging data	
Headphone outputs	1	Package width	345 mm
Microphone in	✓	Package depth	294 mm
S/PDIF out port	<b>✓</b>	Package height	80 mm
WiFi-AP antenna jack	2	Package weight	2.74 kg
Network		Weight & dimensions	-
			205
Ethernet LAN	<b>✓</b>	Width	305 mm
Ethernet interface type	2.5 Gigabit Ethernet	Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	<b>✓</b>
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	2.4 kg
		Technical details	,
		Warranty period	3 year(s)
		Trainancy period	5 ; Cai (5)



4719331864613

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.