

## Philips 5000 series HR2765/00 Kannmikser

**Brand :** Philips

**Product family:** 5000 series

**Product code:** HR2765/00

**Product name :** 5000 Series  
HR2765/00 Kannmikser

- ProBlend Plusi tehnoloogia
- ProBlend Plusi mootor
- ProBlend Plusi tiiviknuga
- ProBlend Plusi kann
- Mitmekülsus tänu tarvikutele
- Elegantne ja kompaktne kujundus
- Palju erinevaid retsepte
- Rakendus HomeID
- Lihtne kasutada
- Kerge puhastada
- Masinpestav

Philips 5000 Series Kannmikser

[Philips 5000 series HR2765/00 Kannmikser:](#)

**Valmistage smuutisid, dippe, kastmeid, tainast ja veel palju muud**

### Piiramatu segamine

Philipsi 5000 seeria kannmikser aitab rikastada teie retseptivalikut. Koguni külmutatud puuviljad, jääkuubikud ja pähklid peenestatakse ja segatakse ühtlaselt. Elegantne disain kaunistab teie köögi tööpinda. Eemaldatavad osad on hõlpsaks puhastamiseks masinpestavad.



| Funktsioonid                          |                        | Võimsus                        |                   |
|---------------------------------------|------------------------|--------------------------------|-------------------|
| Tüüp *                                | Lauapealne blender     | Võimsus *                      | 800 W             |
| Toote värv *                          | Must, Roostevaba teras | Toiteallikas *                 | Vahelduvvool      |
| Juhtmehoidik                          | ✓                      | AC-sisendpinge                 | 230 V             |
| Juhtme pikkus                         | 0,85 m                 | AC-sisendsagedus               | 50 Hz             |
| Eemaldatavad lõiketerad               | ✓                      | <b>Kaal ja mõõtmed</b>         |                   |
| Lõiketerade arv                       | 6                      | Laius                          | 140 mm            |
| Eemaldatav kaas                       | ✓                      | Sügavus                        | 144 mm            |
| Libisemiskindel alus                  | ✓                      | Kõrgus                         | 383 mm            |
| Mõõteskaala                           | ✓                      | Kaal                           | 2,21 kg           |
| Kaubamärgispetsiifilised tehnoloogiad | ProBlend Plus          | <b>Pakendi andmed</b>          |                   |
| Automaatne väljalülitus               | ✗                      | Pakendi laius                  | 280 mm            |
| Nõudepesumasinakindlad osad           | ✓                      | Pakendi sügavus                | 172 mm            |
| Vedeliku taseme näidik                | ✓                      | Pakendi kõrgus                 | 342 mm            |
| Automaatne terade peatus              | ✗                      | Pakendi kaal                   | 3,13 kg           |
| Lapselukk                             | ✗                      | <b>Pakendi sisu</b>            |                   |
| Portsjonite arv                       | 3                      | Tasside arv                    | 1 tk              |
| Sisse/välja lüliti                    | ✓                      | Kaitseotsik                    | ✓                 |
| <b>Toimimine</b>                      |                        | Taaskasutatud paberkäsiraamat  | ✓                 |
| Kannu mahutavus *                     | 0,7 l                  | Retseptiraamat                 | ✗                 |
| Impulssfunktsioon *                   | ✓                      | <b>Muud funktsioonid</b>       |                   |
| Jääpurustamine *                      | ✓                      | Päritoluriik                   | Hiina             |
| Müratase                              | 86 dB                  | Ei sisalda                     | Bisfenool A (BPA) |
| Ability to blend hot ingredients      | ✗                      | Garantiaeg                     | 2 aasta(t)        |
| <b>Materjal</b>                       |                        | <b>Logistika andmed</b>        |                   |
| Segamiskausi materjal                 | Tritaan                | Kogus pakis                    | 1 tk              |
| Korpuse materjal                      | Metall, Plast          | <b>Technical details</b>       |                   |
| Tera materjal                         | Roostevaba teras       | Blenderi pöörlemiskiirus (max) | 18000 RPM         |

**Materjal**

Materjal, kann(ud)                      Tritaan



8720389032882



8720389032523

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.