

Yealink WPP30 juhtmevaba esitlussüsteem USB tüüp-C Tongel

Brand : Yealink

Product code: 1303112

Product name : WPP30

Yealink WPP30. Toote kuju: Tongel, Toote värv: Must. Toetatud graafikaresolutsioonid: 3840 x 2160, Maksimaalne kaadrisagedus: 30 fps. WiFi-standardid: 802.11a, 802.11b, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi standard: Wi-Fi 5 (802.11ac), Sagedusriba: 2.4/5 GHz. Liides: USB tüüp-C. Toiteallika tüüp: USB, Sisendpinge: 5 V, Sisendvool: 0.6 A



Disain		Võimsus	
Toote kuju *	Tongel	Sisendvool	0.6 A
Toote värv	Must	Võimsustarve (tüüpiline)	2,2 W
LED-indikaatorid	✓	Süsteeminõuded	
Funktsioonid		Toetatud Windowsi operatsioonisüsteemid	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Toetatud graafikaresolutsioonid	3840 x 2160		
Maksimaalne kaadrisagedus	30 fps		
Võrgustumine			
WiFi-standardid	802.11a, 802.11b, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)		
Wi-Fi standard	Wi-Fi 5 (802.11ac)		
Sagedusriba	2.4/5 GHz		
Kaksikriba	✓		
Bluetooth	✓		
Bluetoothi versioon	5.0		
Turvaalgoritmid	WPA-PSK, WPA2-PSK		
Pesad & liidesed		Mac-ühilduvus	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Liides *	USB tüüp-C		
Võimsus			
Toiteallika tüüp *	USB	Toetatud Maci operatsioonisüsteemid	
Sisendpinge	5 V		
Töötingimused			
Kasutamistemperatuur (T-T)		-10 - 40 °C	
Suhteline õhuniiskus kasutamisel (H-H)		0 - 90 protsenti	
Kaal ja mõõtmed			
Laius		220 mm	
Sügavus		38 mm	
Kõrgus		16 mm	
Kaal		75 g	

Pakendi sisu

Liideseadapterid kaasa arvatud	C-tüüpi USB-sisekeermega – A-tüüpi USB-väliskeermega
--------------------------------	--



6938818309920



0841885108852



841885108852



5715063549582

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.