



## TP-Link EX520 juhtmevaba ruuter Gigabit Ethernet Kaks sagedusala (2,4 GHz / 5 GHz) Must

Brand : TP-Link

Product code: EX520

Product name : EX520



TP-Link EX520. WAN-ühenduse tüüp: RJ-45. Wi-Fi laineala: Kaks sagedusala (2,4 GHz / 5 GHz), Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN edastuskiirus (max): 1775 Mbit/s. Ethernet LAN-liidese tüüp: Gigabit Ethernet, Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s. Turvaalgoritmid: WPA, WPA2, WPA3-Enterprise. Toote tüüp: Laua peale asetatav ruuter, Toote värv: Must

WAN-ühendus		Juhtimisfunktsioonid	
Ethernet WAN *	✓	MIMO	✓
DSL WAN *	✗	<b>Turvalisus</b>	
SIM kaardi ava *	✗	Turvaalgoritmid	WPA, WPA2, WPA3-Enterprise
3G/4G USB modemi ühilduvus *	✗	<b>Protokollid</b>	
WAN-ühenduse tüüp	RJ-45	DHCP-server	✓
<b>Juhtmevaba LAN-i omadused</b>		<b>Disain</b>	
Wi-Fi laineala *	Kaks sagedusala (2,4 GHz / 5 GHz)	Toote värv	Must
Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Toote tüüp *	Laua peale asetatav ruuter
WLAN edastuskiirus (max) *	1775 Mbit/s	<b>Sertifikaadid</b>	
WiFi-standardid	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Sertifikaat	CE
WLAN edastuskiirus (esimene laineala)	1201 Mbit/s	<b>Pakendi sisu</b>	
WLAN edastuskiirus (teine laineala)	574 Mbit/s	Kaablid kaasa arvatud	LAN (RJ-45)
<b>Võrgustumine</b>		AC-adapter kaasa arvatud	✓
Ethernet LAN *	✓	Kaasas antenn	✓
Ethernet LAN-liidese tüüp *	Gigabit Ethernet	Kiirpaigaldusjuhend	✓
Ethernet LAN-i andmeedastuskiirused	10,100,1000 Mbit/s	<b>Antenn</b>	
Portide suunamine	✓	Antenni kujundus *	Väline
VPN Passthrough	✓	Antennide arv	4
<b>Mobiilivõrk</b>		<b>Võimsus</b>	
Mobiilsidevõrgu põlvkond	Ei ole toetatud	Toiteallika tüüp *	DC (alalisvool)
<b>Pesad &amp; liidesed</b>		Väljundpinge	12 V
Ethernet LAN (RJ-45) pordid *	4	Väljundvool	1,5 A
USB port *	✗	<b>Töötingimused</b>	
DC-pistik	✓	Kasutamistemperatuur (T-T)	0 - 40 °C
<b>Juhtimisfunktsioonid</b>		Hoiustamistemperatuur (T-T)	-40 - 60 °C
Teenusekvaliteedi (QoS) tugi	✓	Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
Lähtestusnupp	✓	Suhteline õhuniiskus (H-H) hoiustamisel	5 - 90 protsenti

Juhtimisfunktsioonid		Kaal ja mõõtmed	
WPS-nupp	✓	Laius	182,7 mm
Tehnoloogia MU-MIMO	✓	Sügavus	94 mm
		Kõrgus	33,3 mm

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.