

Axagon RVC-HI2M videokaabliadapter 0,25 m USB tüüp-C HDMI Must

Brand : Axagon

Product code: RVC-HI2M

Product name : RVC-HI2M

Axagon RVC-HI2M. Kaabli pikkus: 0,25 m, Pistmik 1: USB tüüp-C, Pistmik 2: HDMI. Vastavussertifikaadid: RoHS, CE, Sertifikaat: CE, RoHS. Kaal: 23 g, Laius: 65 mm, Sügavus: 22 mm. Pakendi laius: 170 mm, Pakendi sügavus: 90 mm, Pakendi kõrgus: 30 mm. Kogus pakis: 1 tk



Funktsioonid		Funktsioonid	
1. pistmiku kujutegur	Sirge	Toetatud Maci operatsioonisüsteemid	✓
2. pistmiku kujutegur	Sirge	Suure dünaamilise ulatuse (HDR) tehnoloogia	High Dynamic Range 10 (HDR10)
Kaabli pikkus *	0,25 m	Muud toetatud operatsioonisüsteemid	Android, ChromeOS
Pistmik 1 *	USB tüüp-C	Sertifikaadid	
Pistmik 2 *	HDMI	Vastavussertifikaadid	RoHS, CE
Konnektor 1 sugu *	Meessoost	Sertifikaat	CE, RoHS
Konnektor 2 sugu *	Naissoost	Kaal ja mõõtmed	
HDMI-versioon	2.1a	Kaal	23 g
USB C-tüüpi DisplayPort vahelduvrežiim	✓	Laius	65 mm
HDR-toega	✓	Sügavus	22 mm
Maksimaalne resolutsioon	4096 x 2160 pikslit	Kõrgus	10 mm
Toetatud graafikaresolutsioonid	800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768, 1280 x 768 (WXGA), 1280 x 800, 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1366 x 768, 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1440 x 900, 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2048 x 1152, 2048 x 1536 (QXGA), 2560 x 1080, 2560 x 1440, 2560 x 1600 (WQXGA), 2560 x 1920, 2560 x 2048, 3840 x 1200, 3840 x 2160, 4096 x 2160	Pakendi andmed	
	600p, 720p, 800p, 900p, 960p, 1024p, 1080p, 1280p, 1440p, 1600p, 2160p	Pakendi laius	170 mm
		Pakendi sügavus	90 mm
		Pakendi kõrgus	30 mm
		Pakendi kaal	53 g
		Pakendi tüüp	Karp
		Pakendi sisu	
		Kogus pakis	1 tk
		Juhend	✓
		Logistika andmed	
Toetatud videorežiimid		Garantiaaeg	3 aasta(t)
Maksimaalne värskendussagedus	240 Hz		
Värskendussageduse maksimaalne resolutsioon	60 Hz		

Funktsioonid	
Toote värv	Must
Kaabli tüüp	Ümmargune kaabel
Isehäälestuv	✓
Päritoluriik	Hiina
Toetatud Windowsi operatsioonisüsteemid	✓



8595247907141

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.