

Dreame A1 Pro 800 Robotniiduk Patarei Must, Hall, Punane

Brand : Dreame

Product code: MLLA7200

Product name : A1 Pro 800

Dreame A1 Pro 800. Tüüp: Robotniiduk, Maksimaalne murupind: 800 m², Lõikamislaius: 22 cm. Navigatsiooni tüüp: LIDAR. Toiteallikas: Patarei, AC-sisendpinge: 100 - 240 V, Laadimisvool: 3 A. Laius: 436,5 mm, Sügavus: 643 mm, Kõrgus: 261 mm. Akutehnoloogia: Liitiumioon (Li-Ion)



Funktsioonid		Funktsioonid	
Tüüp *	Robotniiduk	Rahvusvahelise kaitse (IP) kood	IPX6
Maksimaalne murupind *	800 m²	Korpuse materjal	Plast
Lõikamissüsteem	Pöörlevad lõikurid	Turvamuuk	✓
Lõikamislaius *	22 cm	Häirenupp	✓
Kliirensi reguleerimine	✓	WiFi	✓
Minimaalne lõikamise kõrgus *	3 cm	Bluetooth	✓
Maksimaalne lõikamise kõrgus *	7 cm	Kaitseomadused	Veekindel
Funktsioonide arv	5	Toote värv	Must, Hall, Punane
Servade pügamise funktsioon	✓	Navigeerimine	
Nutiniitmise funktsioon	✓	Navigatsiooni tüüp	LIDAR
Turboniitmise funktsioon	✓	GPS (satelliit)	✓
Sobib kallakule kuni	45 protsenti	Võimsus	
Sobib kallakust üles niitmiseks	24°	Toiteallikas *	Patarei
Hõljuv	✓	AC-sisendpinge	100 - 240 V
Kogumisanum *	✗	Laadimisvool	3 A
Draivi tüüp	Tagarattavedu	Laadimisaeg	1,05 h
Vihmaandur	✓	Aku tüüp	Sisseehitatud aku
Põrutusandur	✓	Aku pinge	18 V
Sisse/välja lüliti	✓	Aku mahutavus	5 Ah
Kiiruste arv	2	Aku eluiga (min)	90 min
Eemaldatav alus	✗	Aku tühi indikaator	✓
Turvanupp	✓	Kaal ja mõõtmed	
Labade arv	3	Laius	436,5 mm
Multšimise funktsioon *	✓	Sügavus	643 mm
Lõiketera reguleerimine	Astmeline	Kõrgus	261 mm
Rataste arv	4 ratas(ad)	Kaal	12,6 kg
Jahutuse tüüp	Õhk	Tugijaama mõõdud (L x S x K)	778 x 490 x 309 mm
Tagarataste läbimõõt	20,5 cm	Tugijaama kaal	3,3 kg
Sisseehitatud ekraan	✓	Pakendi sisu	
Kuvamise tüüp	LCD	Asendatavad terad	✓
Müratase	64 dB	Sisaldab akut	✓
Veekindel	✓	Juhend	✓

Funktsioonid		Pakendi sisu	
Automaatne naasmine baasasukohta	✓	Toiteadapter kuulub komplekti	✓
Helirõhu tase	56 dB	Joonlaud kaasa arvatud	✓
Helivõimsuse tase	64 dB	Aku	
Lihtsalt ladustatav	✓	Akutehnoloogia	Liitiumioon (Li-Ion)
Taimer	✓	Tehnilised andmed	
Kiire osade vahetamine	✓	Kasutamistemperatuur (T-T)	0 - 50 °C
Vargusekaitse	✓	Hoiustamistemperatuur (T-T)	-10 - 35 °C
Multi-Zone võimekus	✓	Logistika andmed	
Tsoonide arv	2	Päritoluriik	Hiina
Nutitelefoni kaughaldus	✓	Transpordikasti laius	55,8 cm
Lihntne kasutada	✓	Transpordikasti pikkus	89,3 cm
		Transpordikasti kõrgus	39,2 cm
		Tarnekasti (sisemine) brutokaal	23,4 kg

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.