

Samsung NZ64T3706A1 Must Sisseehitatud 60 cm Tsooniga induktsioonplaat 4 tsoon(id)

Brand : Samsung

Product code: NZ64T3706A1/UR

Product name : NZ64T3706A1



Samsung NZ64T3706A1. Toote värv: Must, Seadme paigaldus: Sisseehitatud, Pliidiraua laius: 60 cm. Kontrolli tüüp: Puudutus, Juhtimise paigutus: Front / Top front, Taimeri tüüp: Digitaalne. Ühendatud koormus (elekter): 7000 W, AC-sisendpinge: 220-240 V, AC-sisendsagedus: 50-60 Hz. Laius: 590 mm, Sügavus: 520 mm, Kõrgus: 60 mm. Pakendi laius: 690 mm, Pakendi sügavus: 645 mm, Pakendi kõrgus: 115 mm

Disain		Toimimine	
Gaasipõletite arv *	0 tsoon(id)	Boost-funktsioon	✓
Elektriliste küpsetustsoonide arv *	4 tsoon(id)	Võimsusastete arv	9
Põleti/keetmisala 1 paigutus	Ees vasakul	Pannituvastus	✓
Põleti/keetmisala 1 toiteallikas	Elektriline	Ergonoomika	
Põleti/keetmisala 1 läbimõõt	140 mm	Kontrolli tüüp *	Puudutus
Põleti/keetmisala 1 võimsus	1200 W	Juhtimise paigutus *	Front / Top front
Keeduala 1 võimendiga	1500 W	Sisseehitatud ekraan *	✓
Põleti/keetmisala 2 paigutus	Vasakul taga	Taimer	✓
Põleti/keetmisala 2 toiteallikas	Elektriline	Taimeri tüüp	Digitaalne
Põleti/keetmisala 2 läbimõõt	220 mm	Jääksoojuse indikaator	✓
Põleti/keetmisala 2 võimsus	2300 W	Lapselukk	✓
Keeduala 2 võimendiga	2600 W	Pliidi õhupuhasti	
Põleti/keetmisala 3 paigutus	Paremal ees	Sisseehitatud kapuuts *	✗
Põleti/keetmisala 3 toiteallikas	Elektriline	Võimsus	
Põleti/keetmisala 3 läbimõõt	220 mm	Ühendatud koormus (elekter) *	7000 W
Põleti/keetmisala 3 võimsus	2300 W	AC-sisendpinge	220-240 V
Keeduala 3 võimendiga	2600 W	AC-sisendsagedus	50-60 Hz
Põleti/keetmisala 4 paigutus	Paremal taga	Sisse/välja lüliti	✓
Põleti/keetmisala 4 toiteallikas	Elektriline	Juhtimisfunktsioonid	
Põleti/keetmisala 4 läbimõõt	140 mm	WiFi kontroll	✗
Põleti/keetmisala 4 võimsus	1200 W	Kaal ja mõõtmed	
Keeduala 4 võimendiga	1500 W	Laius	590 mm
Toote värv *	Must	Sügavus	520 mm
Seadme paigaldus *	Sisseehitatud	Kõrgus	60 mm
Pliidiraua laius *	60 cm	Kaal	10,5 kg
Pliidiraua tüüp *	Tsooniga induktsioonplaat	Paigalduskoha laius	56 cm
Pealispinna tüüp *	Klaas	Paigalduskoha sügavus	49 cm
Põleti-/küpsetusalade arv *	4 tsoon(id)	Pakendi andmed	
		Pakendi laius	690 mm
		Pakendi sügavus	645 mm
		Pakendi kõrgus	115 mm

Pakendi andmed

Pakendi kaal

12 kg



8806090682919

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.