TP-Link IES206GPP võrgulüliti Juhitav Gigabit Ethernet (10/100/1000) Power over Ethernet tugi Must





Brand : TP-Link

Product code: IES206GPP

Product name : IES206GPP

TP-Link IES206GPP. Lüliti tüüp: Juhitav. RJ-45 Etherneti ühenduse pesade tüüp: Gigabit Ethernet (10/100/1000), RJ-45 Etherneti ühenduse pesade arv: 4. MAC-aadresside tabel: 8000 sisestust, Lülitusvõime: 12 Gbit/s. Võrgustandardid: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1w, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE.... Alalisvoolu sisendpinge: 12 - 57 V. Power over Ethernet tugi. Seinale kinnitatav, Püstikmontaaž

Juhtimisfunktsioonid	
Lüliti tüüp *	Juhitav
Pesad & liidesed	
RJ-45 Etherneti ühenduse pesade arv *	4
RJ-45 Etherneti ühenduse pesade tüüp *	Gigabit Ethernet (10/100/1000)
Kombineeritud SFP-pesade arv	1
SFP mooduli pesade arv	1
Võrgustumine	
Võrgustandardid *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1w, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3x
10G-tugi *	✗
Pordipeegeldus	✓
Voo reguleerimise tugi	✓
Linkide koondamine	✓
Levindamise tormi kontroll	✓
Auto MDI/MDI-X	✓
Genereeriva puu protokoll	✓
Ethernet LAN-i andmeedastuskiirused	10,100,1000 Mbit/s
Automaatne ühildumine	✓
Andmeedastus	
Lülitusvõime *	12 Gbit/s
Edastamise kiirus	8,93 Mpps
MAC-aadresside tabel *	8000 sisestust

Disain	
Seinale kinnitatav	✓
DIN-liistu paigaldamine	✓
Toimimine	
Ilma ventilaatorita	✓
Võimsus	
Toiteallikas *	DC/PoE
Üleliigse toite (RPS) tugi	✓
Alalisvoolu sisendpinge	12 - 57 V
Internet elektrivõrgu kaudu (PoE)	
Power over Ethernet tugi *	✓
Toide üle võrgu (PoE) toetatud tüüp	PoE+, PoE++ (4PPoE)
Toide üle võrgu (PoE) pesade arv	3
Etherneti toitega 4PPoE (PoE++) portide kogus	1
Toide üle võrgu (PoE) võimsus pordi kohta	30 W
Toide üle võrgu (PoE) võimsusühikuid kokku	120 W
Töötingimused	
Kasutamistemperatuur (T-T)	-40 - 75 °C
Hoiustamistemperatuur (T-T)	-40 - 85 °C
Suhteline õhuniiskus kasutamisel (H-H)	5 - 95 protsenti
Suhteline õhuniiskus (H-H) hoiustamisel	5 - 95 protsenti

Publication date: 28-OCT-2026. Prints or copies of Information are only valid on the printed Publication date

Andmeedastus	
Ladusta-ja-edasta	✔
Hiigelkaadrite tugi	✔
Hiigelkaadrite	15000

Turvalisus	
DHCP elemendid	DHCP client
IGMP-jälgimine	✔

Multisaate tunnused	
Multiedastuse tugi	✔

Disain	
Püstikmontaaž *	✔
Toote värv	Must

Kaal ja mõõtmed	
Laius	155 mm
Sügavus	120 mm
Kõrgus	60 mm

Pakendi sisu	
Kiirstardi juhend	✔

Sertifikaadid	
Sertifikaat	FCC, CE, RoHS



1210002602051



0840460600927



840460600927

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 28-OCT-2026. Prints or copies of Information are only valid on the printed Publication date