

ASUS ROG STRIX X870-F GAMING WIFI AMD X870 Protsessoripesa AM5 ATX

Brand : ASUS

Product code: 90MB1IV0-M0EAY0

Product name : ROG STRIX X870-F GAMING WIFI

ASUS ROG STRIX X870-F GAMING WIFI. Protsessori tootja: AMD, Protsessori pesa: Protsessoripesa AM5, Ühilduvad protsessoriseeriad: AMD Ryzen 7 7th Gen, AMD Ryzen 7 8th Gen, AMD Ryzen 9 7th Gen, AMD Ryzen 9 8th Gen, AMD Ryzen 9... Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 192 GB, Mälupesade tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 5, 10. Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, Kiire Ethernet, Gigabit Ethernet, Wi-Fi standard: Wi-Fi 7 (802.11be), WiFi-standardid: Wi-Fi 7 (802.11be). Komponent: PC, Emaplaadi kujutegur: ATX, Emaplaadi kiibistik: AMD



Protsessor		Tagapaneeli I/O pesad	
Protsessori tootja *	AMD	USB 3.2 Gen 1 (3.1 Gen 1) A-tüüpi portide hulk *	4
Protsessori pesa *	Protsessoripesa AM5	USB 3.2 Gen 2 (3.1 Gen 2) A-tüüpi portide hulk *	5
Ühilduvad protsessoriseeriad *	AMD Ryzen 7 7th Gen, AMD Ryzen 7 8th Gen, AMD Ryzen 9 7th Gen, AMD Ryzen 9 8th Gen, AMD Ryzen 9 9th Gen	USB 3.2 Gen 2 (3.1 Gen 2) C-tüüpi portide hulk *	1
Mälu		USB4 Gen 3x2 portide arv	2
Toetatud mälutüübid *	DDR5-SDRAM	Ethernet LAN (RJ-45) pordid *	1
Mälukaardi pesade arv *	4	HDMI-portide arv *	1
Mälupesade tüüp	DIMM	DisplayPort arv	1
Mälukanalid	Kahe kanaliga	Mikrofonisisend	✓
ECC	✓	S/PDIF-väljund	✓
Mitte-ECC	✓	Võrgustumine	
Toetatud mälu taktsageduse kiirus (maks)	8000 MHz	Ethernet LAN	✓
Maksimaalne sisemälu *	192 GB	Ethernet-liidese tüüp	2.5 Gigabit Ethernet, Kiire Ethernet, Gigabit Ethernet
Puhverdamata mälu	✓	WiFi *	✓
Ladustamise kontrollid		Wi-Fi standard	Wi-Fi 7 (802.11be)
Toetatud ketaste tüübid	HDD & SSD	WiFi-standardid	Wi-Fi 7 (802.11be)
Kõvaketta ühenduse tüüp *	M.2, SATA III	Bluetooth	✓
Toetatud kõvaketaste arv	2	Bluetoothi versioon	5.4
Toetatud ketaste arv	6	Funktsioonid	
RAID-tugi	✓	Emaplaadi kiip *	AMD X870
RAID-tasemed	0, 1, 5, 10	Audioväljundi kanalid *	7.1 kanalid
Graafikad		Toote värv	Must
Rööptööstustehnoloogia tugi *	Ei ole toetatud	Komponent *	PC
Sisemine I/O moodul		Emaplaadi kujutegur *	ATX
USB 2.0 pistmikud *	2	Emaplaadi kiibistik *	AMD
USB 3.2 Gen 1 (3.1 Gen 1) pistmikud *	2	Toetatud Windowsi operatsioonisüsteemid	Windows 11
USB 3.2 Gen 2x2 ühendused	1	Laienduspesad	
SATA III ühenduste arv *	2	PCI Express x16 (Gen 4.x) pilud	1
		M.2 (M) siinide arv	4



4711387732045

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-OCT-2024. Prints or copies of Information are only valid on the printed Publication date