

GIGABYTE GeForce RTX 4060 Ti EAGLE OC ICE 8G NVIDIA 8 GB GDDR6

Brand : GIGABYTE

Product code: GV-N406TEAGLEOC ICE-8GD

Product name : GeForce RTX 4060 Ti EAGLE OC ICE 8G

GIGABYTE GeForce RTX 4060 Ti EAGLE OC ICE 8G. Graafikaprotsessorite pere: NVIDIA, Graafikaprotsessor: GeForce RTX 4060 Ti, Protsessori sagedus: 2550 MHz. Eraldiseisva graafikakaardi mälu: 8 GB, Graafikaadapteri mälutüüp: GDDR6, Mälusiin: 128 bitti, Mälu taktsagedus: 18000 MHz. Maksimaalne resolutsioon: 7680 x 4320 pikslit. DirectX-i versioon: 12 Ultimate, OpenGL-i versioon: 4.6. Liidese tüüp: PCI Express x8 4.0. Jahutuse tüüp: Aktiivne, Ventilaatorite arv: 3 ventilaator(id)



Processor		Design	
CUDA *	✓	Cooling type *	Active
CUDA cores	4352	Cooling technology	GIGABYTE WINDFORCE 3X
Graphics processor family *	NVIDIA	Number of fans	3 fan(s)
Graphics processor *	GeForce RTX 4060 Ti	Fan diameter	8 cm
Processor frequency *	2550 MHz	Form factor	Full-Height/Full-Length (FH/FL)
Maximum resolution *	7680 x 4320 pixels	Bracket height	Full-Height (FH)
Parallel processing technology support *	Not supported	Product colour	White
Maximum displays per videocard	4	Power	
Memory		Minimum system power supply *	500 W
Discrete graphics card memory *	8 GB	Supplementary power connectors	1x 8-pin
Graphics card memory type *	GDDR6	Thermal Design Power (TDP)	160 W
Memory bus *	128 bit	System requirements	
Memory clock speed	18000 MHz	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Number of pipelines	3	Weight & dimensions	
Data transfer rate	18 Gbit/s	Weight	640 g
Ports & interfaces		Length	272 mm
Interface type *	PCI Express x8 4.0	Depth	41 mm
HDMI ports quantity *	2	Height	115 mm
HDMI version	2.1a	Packaging data	
DisplayPorts quantity *	2	Package width	182.5 mm
DisplayPort version	1.4a	Package depth	354 mm
Performance		Package height	75 mm
TV tuner integrated *	✗	Package weight	1.21 kg
DirectX version *	12 Ultimate	Package type	Box
OpenGL version *	4.6	Packaging content	
Dual Link DVI *	✗	Cables included	Power

Performance		Packaging content	
NVIDIA G-SYNC	✓	User guide	✓
Warranty period	3 year(s)	Logistics data	
		Products per shipping (inner) case	1 pc(s)



4719331354350

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-NOV-2024. Prints or copies of Information are only valid on the printed Publication date