



## TP-Link Archer BE400 juhtmevaba ruuter 2.5 Gigabit Ethernet Kaks sagedusala (2,4 GHz / 5 GHz) Must

**Brand :** TP-Link

**Product code:** ARCHER BE400

**Product name :** Archer BE400

TP-Link Archer BE400. WAN-ühenduse tüüp: RJ-45. Wi-Fi laineala: Kaks sagedusala (2,4 GHz / 5 GHz), Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN edastuskiirus (max): 5764 Mbit/s. Ethernet LAN-liidese tüüp: 2.5 Gigabit Ethernet, Ethernet LAN-i andmeedastuskiirused: 1000,2500 Mbit/s, VPN-server: OpenVPN, PPTP, L2TP VPN Server, Wireguard VPN. Turvaalgoritmid: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3. Toote tüüp: Lauaarvuti/pooluse ruuter, Toote värv: Must



WAN connection		Management features	
Ethernet WAN *	✓	Quality of Service (QoS) support	✓
SIM card slot *	✗	Reset button	✓
3G/4G USB modem compatibility *	✗	WPS push button	✓
WAN connection type	RJ-45	MU-MIMO technology	✓
Wireless LAN features		Security	
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Security algorithms	WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3
Top Wi-Fi standard *	Wi-Fi 7 (802.11be)	Firewall	✓
WLAN data transfer rate (max) *	5764 Mbit/s	Guest access	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)	Access Control List (ACL)	✓
WLAN data transfer rate (first band)	5764 Mbit/s	Parental control	✓
WLAN data transfer rate (second band)	688 Mbit/s	DMZ support	✓
Modulation	4096-QAM	Protocols	
Network		Universal Plug and Play (UPnP)	✓
Ethernet LAN *	✓	Design	
Ethernet LAN interface type *	2.5 Gigabit Ethernet	Product colour	Black
Ethernet LAN data rates	1000,2500 Mbit/s	Indication light	✓
Port forwarding	✓	Product type *	Desktop/pole router
Port triggering	✓	Certificates	
Dynamic DNS (DDNS)	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Number of guest networks (2.4 GHz)	1	Packaging content	
Number of guest networks (5 GHz)	1	Cables included	LAN (RJ-45)
VPN server	OpenVPN, PPTP, L2TP VPN Server, Wireguard VPN	AC adapter included	✓
		Quick installation guide	✓

Ports & interfaces		Antenna	
Ethernet LAN (RJ-45) ports *	4	Antenna design *	External
USB port *	✓	Antennas quantity	6
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Operational conditions	
Management features		Operating temperature (T-T)	0 - 40 °C
Web-based management	✓	Operating relative humidity (H-H)	10 - 90%
		Weight & dimensions	
		Width	268.6 mm
		Depth	153 mm
		Height	47.6 mm



8885020624113



0810142822220



810142822220



1210002606721

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date